Volume 206, Number 1 May 2005

Original Papers

Epidermis promotes dermal fibrosis: role in the pathogenesis of hypertrophic scars J Bellemare, CJ Roberge, D Bergeron, CA Lopez-Vallé, M Roy and VJ Moulin 1

Kinetic study of TNF-α production and its regulatory mechanisms in acinar cells during acute pancreatitis induced by bile-pancreatic duct obstruction L Ramudo, MA Manso, S Sevillano and I de Dios 9

Differential expression and response to anti-TNFα treatment of infiltrating versus resident tissue macrophage subsets in autoimmune arthritis L De Rycke, D Baeten, D Foell, E Kruithof, EM Veys, J Roth and F De Keyser 17

Chronic obstructive pulmonary disease is associated with enhanced bronchial expression of FGF-1, FGF-2 and FGFR-1 AR Kranenburg, A Willems-Widyastuti, WJ Mooi, PR Saxena, PJ Sterk, WI de Boer and HS Sharma 28

Proteomic analysis of differential protein expression in human atherosclerotic plaque progression MMPC Donners, MJ Verluyten, FG Bouwman, ECM Mariman, B Devreese, F Vanrobaeys, J van Beeumen, LHJM van den Akker, MJAP Daemen and S Heeneman 39

Enhanced large intestinal potassium permeability in end-stage renal disease T Mathialahan, KA Maclennan, LN Sandle, C Verbeke and GI Sandle 46

Computer-based detection of neonatal changes to branching morphogenesis reveals different mechanisms of and predicts prostate enlargement in mice haplo-insufficient for bone morphogenetic protein 4 G Almahbobi, S Hedwards, G Fricout, D Jeulin, JF Bertram and GP Risbridger 52

Cell turnover of serrated adenomas SD Ladas, P Kitsanta, K Triantafyllou, C Tzathas, C Spiliadi and SA Raptis 62

Expression of the interferon-inducible chemokine IP-10 (CXCL10), a chemokine with proposed anti-neoplastic functions, in Hodgkin lymphoma and nasopharyngeal carcinoma M Teichmann, B Meyer, A Beck and G Niedobitek 68

PRDM1/BLIMP-1 is expressed in human B-lymphocytes committed to the plasma cell lineage G Cattoretti, C Angelin-Duclos, R Shaknovich, H Zhou, D Wang and B Alobeid 76

Analysis of aberrant somatic hypermutation (SHM) in non-Hodgkin's lymphomas of patients with chronic HCV infection M Libra, D Capello, A Gloghini, P Laura, E Berra, M Cerri, D Gasparotto, S Franca, V De Re, G Gaidano and A Carbone 87

The *GADD45*, *ZBRK1* and *BRCA1* pathway: quantitative analysis of mRNA expression in colon carcinomas V Garcia, JM García, C Peña, J Silva, G Domínguez, R Rodríguez, C Maximiano, R Espinosa, P España and F Bonilla 92

Expression profiling of murine intestinal adenomas reveals early deregulation of multiple *matrix metalloproteinase (Mmp)* genes C Martinez, S Bhattacharya, T Freeman, M Churchman and M Ilyas 100

Abnormal expression of Period 1 (PER 1) in endometrial carcinoma K-T Yeh, M-Y Yang, T-C Liu, J-C Chen, W-L Chan, S-F Lin and J-G Chang 111

Announcements 121

Volume 206, Number 2 June 2005

Original Papers

Expression of the NF-κB targets BCL2 and BIRC5/Survivin characterizes small B-cell and aggressive B-cell lymphomas, respectively L Tracey, A Pérez-Rosado, MJ Artiga, FI Camacho, A Rodríguez, N Martínez, E Ruiz-Ballesteros, M. Mollejo, B Martinez, M. Cuadros, JF Garcia, M Lawler and MÁ Piris 123

Chondromyxoid fibroma resembles *in vitro* chondrogenesis, but differs in expression of signalling molecules S Romeo, JVMG Bovée, SP Grogan, AHM Taminiau, PHC Eilers, A-M Cleton-Jansen, P Mainil-Varlet and PCW Hogendoorn 135

Dysregulation of hedgehog signalling predisposes to synovial chondromatosis S Hopyan, P Nadesan, C Yu, JS Wunder and BA Alman 143

Roles for USF-2 in lung cancer proliferation and bronchial carcinogenesis M Ocejo-Garcia, TAS Baokbah, HL Ashurst, D Cowlishaw, I Soomro, JM Coulson and PJ Woll 151

Differential expression of matrix metalloproteinases and interleukin-8 during regeneration of human airway epithelium *in vivo* C Coraux, C Martinella-Catusse, B Nawrocki-Raby, R Hajj, H Burlet, S Escotte, V Laplace, P Birembaut and E Puchelle 160

Evidence for lymphangiogenesis and its prognostic implications in head and neck squamous cell carcinoma PA Kyzas, S Geleff, A Batistatou, NJ Agnantis and D Stefanou 170

Cytotoxic T Cells are preferentially activated in the duodenal epithelium from patients with florid coeliac disease C Buri, P Burri, P Bahler, A Straumann, B Müller-Schenker, S Birrer and C Mueller 178

Down-regulation of a morphogen (sonic hedgehog) gradient in the gastric epithelium of *Helicobacter pylori*-infected Mongolian gerbils H Suzuki, Y Minegishi, Y Nomoto, T Ota, T Masaoka, GR van den Brink and T Hibi 186

Homozygosity for a *CHEK2 1100delC mutation identified in familial colorectal cancer does not lead to a severe clinical phenotype** M van Puijenbroek, CJ van Asperen, A van Mil, P Devilee, T van Wezel and H Morreau 198

Evidence that prostate gonadotropin-releasing hormone receptors mediate an anti-tumourigenic response to analogue therapy in hormone refractory prostate cancer VJ Gnanapragasam, SS Darby, MM Khan, WG Lock, CN Robson and HY Leung 205

High-level expression of fatty acid synthase in human prostate cancer tissues is linked to activation and nuclear localization of Akt/PKB T Van de Sande, T Roskams, E Lerut, S Joniau, H Van Poppel, G Verhoeven and JV Swinnen 214

Lobulitis is a frequent finding in prophylactically removed breast tissue from women at hereditary high risk of breast cancer BBJ Hermsen, S von Mensdorff-Pouilly, HFJ Fabry, HAH Winters, P Kenemans, RHM Verheijen and PJ van Diest 220

Amyloid deposits in transthyretin-derived amyloidosis: cleaved transthyretin is associated with distinct amyloid morphology J Bergström, Å Gustavsson, U Hellman, K Sletten, CL Murphy, DT Weiss, A Solomon, B-O Olofsson and P Westermark 224

High-resolution multi-parameter DNA flow cytometry enables detection of tumour and stromal cell subpopulations in paraffin-embedded tissues WE Corver, NT ter Haar, EJ Dreef, Noel FCC Miranda, Frans A Prins, Ekaterina S Jordanova, CJ Cornelisse and GJ Fleuren 233

Diagnostic value of OCT3/4 for pre-invasive and invasive testicular germ cell tumours J de Jong, H Stoop, GR Dohle, CH Bangma, M Kliffen, JWJ van Esser, M van den Bent, JM Kros, JW Oosterhuis and LHJ Looijenga 242

Volume 206, Number 3 July 2005

Original Papers

An animal model of SARS produced by infection of *Macaca mulatta* with SARS coronavirus C Qin, J Wang, Q Wei, M She, WA Marasco, H Jiang, X Tu, H Zhu, L Ren, H Gao, L Guo, L Huang, R Yang, Z Cong, L Guo, Y Wang, Y Liu, Y Sun, S Duan, J Qu, L Chen, W Tong, L Ruan, P Liu, H Zhang, D Liu, Q Liu, T Hong and W He **251**

A comparative study of endothelial cell markers expressed in chronically inflamed human tissues: MECA-79, Duffy antigen receptor for chemokines, von Willebrand factor, CD31, CD34, CD105 and CD146 J Middleton, L Americh, R Gayon, D Julien, M Mansat, P Mansat, P Anract, A Cantagrel, P Cattan, J-M Reimund, L Aguilar, F Amalric and J-P Girard **260**

Expression profiling the human septin gene family PA Hall, K Jung, KJ Hillan and SEH Russell **269**

c-Kit immunophenotyping and metalloproteinase expression profiles of mast cells in interstitial lung diseases ST Edwards, AC Cruz, S Donnelly, PF Dazin, ES Schulman, KD Jones, PJ Wolters, C Hoopes, GM Dolganov and KC Fang **279**

Up-regulation of gene expression by hypoxia is mediated predominantly by hypoxia inducible factor 1 (HIF-1) AE Greijer, P van der Groep, D Kemming, A Shvarts, GL Semenza, GA Meijer, MA van de Wiel, JAM Belien, PJ van Diest and E van der Wall **291**

Adenomas and follicular carcinomas of the thyroid display two major patterns of chromosomal changes P Castro, M Eknæs, MR Teixeira, HE Danielsen, P Soares, RA Lothe and M Sobrinho-Simões **305**

PU.1 protein expression has a positive linear association with protein expression of germinal centre B cell genes including *BCL-6*, *CD10*, *CD20* and *CD22*: identification of PU.1 putative binding sites in the *BCL-6* promotor E Torlakovic, A Malecka, JH Myklebust, A Tierens, H-C Aasheim, JM Nesland, E Smeland, S Kvaløy and J Delabie **312**

***IgV$_H$* mutations in blastoid mantle cell lymphoma characterize a subgroup with a tendency to more favourable clinical outcome** SB Cogliatti, F Bertoni, DR Zimmermann, S Henz, TC Diss, M Ghielmini and U Schmid **320**

High numbers of tumour-infiltrating activated cytotoxic T lymphocytes, and frequent loss of HLA class I and II expression, are features of aggressive B cell lymphomas of the brain and testis SA Riemersma, JJ Oudejans, MJ Vonk, EJ Dreef, FA Prins, PM Jansen, MH Vermeer, P Blok, RE Kibbelaar, JJF Muris, EMD Schuuring and PM Kluin **328**

The transactivating isoforms of p63 are overexpressed in high-grade follicular lymphomas independent of the occurrrence of *p63* gene amplification G Pruneri, S Fabris, P Dell'Orto, MO Biasi, S Valentini, B Del Curto, D Laszlo, L Cattaneo, R Fasani, L Rossini, M Manzotti, F Bertolini, G Martinelli, A Neri and G Viale **337**

E-cadherin-dependent adhesion of dendritic and Langerhans cells to keratinocytes is defective in cervical human papillomavirus-associated (pre)neoplastic lesions P Hubert, J-H Caberg, C Gilles, L Bousarghin, E Franzen-Detrooz, J Boniver and P Delvenne **346**

Amplification and overexpression of c-*erb*B-2, *epidermal growth factor receptor*, and c-*met* in the biliary tract cancers K Nakazawa, Y Dobashi, S Suzuki, H Fujii, Y Takeda and A Ooi **356**

First evidence supporting a potential role for the BMP/SMAD pathway in the progression of oestrogen receptor-positive breast cancer MW Helms, J Packeisen, C August, B Schittek, W Boecker, BH Brandt and H Buerger **366**

Volume 206, Number 4 August 2005

Original Papers

Differential expression of connexin 43 in gastrointestinal stromal tumours of gastric and small intestinal origin A Nishitani, S Hirota, T Nishida, K Isozaki, K Hashimoto, N Nakagomi and H Matsuda 377

Aberrant expression of TTF-1 and forkhead factor HFH-4 in atrophic gastritis and ciliated metaplasia suggests gastric broncho-pulmonary transdetermination T Rau, A Dimmler, M Häfner, T Brabletz, T Kirchner and G Faller 383

On the histogenesis of Barrett's oesophagus and its associated squamous islands: a three-dimensional study of their morphological relationship with native oesophageal gland ducts RA Coad, AC Woodman, PJ Warner, H Barr, NA Wright and NA Shepherd 388

Isolated crypts form spheres prior to full intestinal differentiation when grown as xenografts: an *in vivo* model for the study of intestinal differentiation and crypt neogenesis, and for the abnormal crypt architecture of juvenile polyposis coli R Del Buono, CY Lee, CJ Hawkey and NA Wright 395

p62 protein is expressed in pancreatic *β* cells C Lackner, D Dlaska, A Fuchsbichler, C Stumptner, M Gogg-Kamerer, K Zatloukal and H Denk 402

***RASSF1A* promoter methylation and 3p21.3 loss of heterozygosity are features of foregut, and not midgut and hindgut, malignant endocrine tumours** S Pizzi, C Azzoni, L Bottarelli, N Campanini, T D'Adda, C Pasquali, G Rossi, G Rindi and C Bordi 409

Copy number amplification of 3q26-27 oncogenes in microdissected oral squamous cell carcinoma and oral brushed samples from areca chewers S-C Lin, C-J Liu, S-Y Ko, H-C Chang, T-Y Liu and K-W Chang 417

Phosphorylation status of Fas-associated death domain-containing protein (FADD) is associated with prostate cancer progression K Shimada, S Matsuyoshi, M Nakamura, E Ishida and N Konishi 423

The gene expression profile of extraskeletal myxoid chondrosarcoma S Subramanian, RB West, RJ Marinelli, TO Nielsen, BP Rubin, JR Goldblum, RM Patel, S Zhu, K Montgomery, TL Ng, CL Corless, MC Heinrich and M van de Rijn 433

TIMP-1 expression in anaplastic large cell lymphoma is usually restricted to macrophages and only seldom observed in tumour cells R Rust, T Blokzijl, G Harms, M Lim, L Visser, WA Kamps, S Poppema and A van den Berg 445

The origin of vimentin expression in invasive breast cancer: epithelial–mesenchymal transition, myoepithelial histogenesis or histogenesis from progenitor cells with bilinear differentiation potential? E Korsching, J Packeisen, C Liedtke, D Hungermann, P Wülfing, PJ van Diest, B Brandt, W Boecker and H Buerger 451

Sept9_v4 expression induces morphological change, increased motility and disturbed polarity AD Chacko, PL Hyland, SS McDade, PW Hamilton, SEH Russell and PA Hall 458

Plasmalemmal vesicle-associated protein (PLVAP) is expressed by tumour endothelium and is upregulated by vascular endothelial growth factor-A (VEGF) LA Strickland, AM Jubb, J-A Hongo, F Zhong, J Burwick, L Fu, GD Frantz and H Koeppen 466

The effect of vascular origin, oxygen and tumour necrosis factor alpha on trophoblast invasion of maternal arteries *in vitro* IP Crocker, M Wareing, GR Ferris, CJ Jones, JE Cartwright, PN Baker and JD Aplin 476

***Propionibacterium acnes*-induced hepatic granuloma formation is impaired in mice lacking tetraspanin CD9** H Yamane, I Tachibana, Y Takeda, Y Saito, Y Tamura, P He, M Suzuki, Y Shima, T Yoneda, S Hoshino, K Inoue, T Kijima, M Yoshida, T Kumagai, T Osaki, Y Eishi and I Kawase 486